



# Classic Steel®



ISO 9001:2008 Certified  
Certificate No. FM 509124


## Steel Fire Doors / Steel Doors



Steel

Steel

**Swinging Type**



Steel

Steel

**Sliding Type**

# Steel Fire Doors / Steel Doors

## Swinging Type

**Type : FRD, 3 Hr Fire Rated by**

CLASSIFIED

**Type : CSD, 2 Hr Fire Rated by**

**Type : SFD, 1 Hr Fire Rated by**

**Type : NFD, Steel Doors fabricated**

**in accordance with**

Wired Glass or Clear Fire Rated Glass up to 3 hr with intumescent sealant around the glazing bead available on request

**Steel**

**Steel**

Double Door, Flush Style with Vision Panel, Powder Finish (Matt White Color)

**Steel**

Single Door, Flush Style with Vision Panel, Powder Finish (Matt White Color)

**Steel**

Single Door, Flush Style with Wood Grain Finish (Maple Color)


**Steel**

Single Door, Embossed Style with Wood Grain Finish (Golden Teak Color)

**Steel**

Single Door, Embossed Style with Wood Grain Finish (Oak Color)

# Installation Instruction for Swinging Door




Coins, Sleeve Anchors and U-Washer have been provided together with the doorset

# Steel Doors


## Sliding Type



No Bottom Rail






No Bottom Rail



No Bottom Rail


# Installation Instruction for Sliding Door



Sleeve Anchors and U-Washers have been provided together with the doorset


# Steel Frames

**Standard Door Frame,  
Single Rebate without rubber bumper**




**Door Frame Size : 50 mm x 100 mm  
(Standard Size)**

**Standard Door Frame,  
Single Rebate with rubber bumper**




**Door Frame Size : 50 mm x 100 mm  
(Standard Size)**

**Door Frame,  
Single Rebate with architrave at pull side**




**Door Frame Size : Made to order**

**Door Frame,  
Single Rebate with architrave at push side**




**Door Frame Size : Made to order**

**Door Frame,  
Double Rebate without rubber bumper**




**Door Frame Size : Made to order**

**Door Frame,  
Double Rebate with rubber bumper**




**Door Frame Size : Made to order**

**Door Frame,  
Double Rebate with architrave at pull side**




**Door Frame Size : Made to order**

**Door Frame,  
Double Rebate with architrave at push side**




**Door Frame Size : Made to order**

**Door Frame,  
Knock Down Type for Modular House**




**Door Frame Size : Made to order**

**Vision Panel of door leaf  
with visible glazing bead**




**Door Frame Size : Made to order**

**Vision Panel of door leaf  
without visible glazing bead**



**Door Frame Size : Made to order**

**Window Frame**



**Window Frame Size : Made to order**

# Door Hardware (OPTION)



**UL LISTED** US Panic Exit Device, Rim Type, Aluminum Finish



Exit Lock, Satin Stainless Steel Lever Handle



**UL LISTED** US Swinging Fire Door Closer, 3 Hr Fire Rated, NHO, Regular Arm, 180°, 60-85 Kgs, Silver Finish



**UL LISTED** US Swinging Fire Door Closer, 3 Hr Fire Rated, NHO, Regular Arm, 180°, 60-150 Kgs, Silver Finish (Heavy Duty Type)



**UL LISTED** US Panic Exit Device, Vertical Rod Type, Aluminum Finish



Satin Stainless Steel Handle with Plate-SS304



Polished Stainless Steel Handle without Plate-SS304



Security Mortise Lock for Swinging Door, Single Cylinder with Knob with auxiliary deadbolt to open from inside only, Satin Stainless Steel Handle-SS304 (Heavy Duty Type)



Mortise Lock for Swinging Door, Single Cylinder with Knob, Satin Stainless Steel Handle-SS304



Mortise Lock for Sliding Door, Single Cylinder with Knob (Heavy Duty Type)



Mortise Lock for Sliding Door, Single Cylinder with Knob



Nylon Wheel Set for Sliding Door

## How to Order

**X-XXX-X-X**

### Door Type :-

#### Swinging Type :-

- FRD = Steel Fire Door - 3 Hr Fire Rated
- CSD = Steel Fire Door - 2 Hr Fire Rated
- SFD = Steel Fire Door - 1 Hr Fire Rated
- NFD = Steel Door

#### Sliding Type :-

- SLD = Steel Sliding Door

### Finish :-

- P = Powder
- W = Wood Grain
- R = Primer Only

### Door Number :-

- S = Single Door
- D = Double Door

### Swinging Type (Overall Size - mm)

Width x Height = Overall Width (Outer Width of door frame) x Overall Height (Height from finished floor level to top of door frame)

### Size :-

#### Sliding Type (Door Leaf Size - mm)


Width x Height = Width of door leaf x Height of door leaf

### Door Style :-

- 00 = Flush
- OG = Flush with Ordinary Glass 6 mm thk
- WG = Flush with Wired Glass 6 mm thk
- FG = Flush with Fire Rated Glass
- 0L = Flush with Louver
- OL = Flush with Ordinary Glass 6 mm thk and Louver
- WL = Flush with Wired Glass 6 mm thk and Louver
- 05 = Embossed 5 Panels
- 11 = Embossed 11 Panels

### Opening Direction (Top View) :-

#### Swinging Type



**CW** = Door Leaf (active door leaf in case of double door) is opened to ClockWise direction

**CCW** = Door Leaf (active door leaf in case of double door) is opened to CounterClockWise direction

#### Sliding Type



**R** = Door Leaf (active door leaf in case of double door) is slid to open to Right side

**L** = Door Leaf (active door leaf in case of double door) is slid to open to Left side

### Example :

- FRD-S11W-900x2200-CW = Steel Fire Door, 3 Hr Fire Rated, Single Door, Embossed Style 11 Panels, Wood Grain Finish, Overall Width 900 mm x Overall Height 2200 mm, Door Leaf is opened to ClockWise direction.
- CSD-D00P-1500x2100-CCW = Steel Fire Door, 2 Hr Fire Rated, Double Door, Flush Style, Powder Finish, Overall Width 1500 mm x Overall Height 2100 mm, Active Door Leaf is opened to CounterClockWise direction.
- SFD-SOGR-1000x2100-CCW = Steel Fire Door, 1 Hr Fire Rated, Single Door, Flush Style, with Ordinary Glass 6 mm thk, Primer Only, Overall Width 1000 mm x Overall Height 2100 mm, Door Leaf is opened to CounterClockWise direction.
- SLD-D00W-1500x2100-R = Steel Sliding Door, Double Door, Flush Style, Wood Grain Finish, Width of Door Leaf 1500 mm (both doors) x Height of Door Leaf 2100 mm, Door Leaf is slid to open to Right side.